Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	19274	(air fluid) adj (bearing bearings)	US-PGPUB; USPAT; EPO; JPO	OR .	OFF	2004/10/29 12:22
L10	421	L9 with (polish polishing)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/29 12:23
L11	73	10 and pressure and temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/29 12:40
L12	1	11 and (sheet adj metal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/29 12:41
L13	357	9 and (sheet adj metal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/29 12:41
L14	23	9 same (sheet adj metal)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/29 12:41
S1	1015	451/11.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 09:54
S2	126	451/162.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 07:39
S3	446	451/164.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	.2004/10/15 ₋ 07:44
S4	197	451/168.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 07:47
S5	1206	451/288.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 08:13
S6	749	451/296.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 09:08
S7	135	451/297.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 09:50
S8	465	451/340.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 09:52
S9	223	451/488.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 07:05

S10	76	451/489.ccls.	US-PGPUB; USPAT;	OR	OFF	2004/10/15 07:09
			EPO; JPO			
S11	331	451/490.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 07:14
S12	82	451/513.ccls.	US-PGPUB;	OR	OFF	2004/10/15 07:14
312	02	+51/515.ccis.	USPAT; EPO; JPO		011	200 1/ 10/ 13 07 11
S13	4860	fluid adj (bearing bearings)	US-PGPUB;	OR	OFF	2004/10/15 13:08
0	*		USPAT; EPO; JPO			
S14	110	S13 with (polish polishing)	US-PGPUB;	OR	OFF	2004/10/15 13:09
	110	313 With (poils) poils, mig/	USPAT; EPO; JPO		0	200 1, 20, 20 20105
S15	1	"5558568".pn.	US-PGPUB;	OR	OFF -	2004/10/15 10:18
			USPAT; EPO; JPO			
S16	23259	integrated adj circuit with	US-PGPUB;	OR	OFF	2004/10/15 10:07
		(manufacture manufactured)	USPAT; EPO; JPO			
S17	159	S16 with polishing	US-PGPUB;	OR	OFF	2004/10/15 10:08
			USPAT; EPO; JPO			
S18	1	"6103628".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 12:52
S19	4	("6103628" "6464571" "6468139"	US-PGPUB;	OR	OFF	2004/10/15 12:56
		i [°] 6589105").pn.	USPAT;			
			EPO; JPO			区 11/10/1979 / M
S20	1	"20040097177".pn.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 12:53
S21	2.	("6604988" "6207572").pn.	US-PGPUB;	OR 👙	OFF	2004/10/15 12:57
*			USPAT; EPO; JPO			
S22	6		US-PGPUB;	OR	OFF	2004/10/15 13:43
322	Ů	313 321	USPAT; EPO; JPO		011	200 1/10/13 13.13
S23	19201	(air fluid) adj (bearing bearings)	US-PGPUB;	OR	OFF	2004/10/15 13:08
	6 L.:		USPAT; EPO; JPO			
S24	415	S23 with (polish polishing)	US-PGPUB;	OR	OFF	2004/10/15 13:09
	, 20	(F F	USPAT; EPO; JPO			
S25	177	S24 and temperature	US-PGPUB;	OR	OFF	2004/10/15 13:18
			USPAT; EPO; JPO		* (1	4 1

S26	200	S24 and pressure	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 13:19
S27	69	S25 and S26	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 13:14
S28	6	S24 same temperature	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 13:18
S29	92	S24 same pressure	US-PGPUB; USPAT; EPQ; JPO	OR	OFF	2004/10/15 13:21
S30	23	(bi?directional reverse) adj linear with polishing	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/10/15 13:44